SAFETY DATA SHEET



MCC_101 Orginal Carnauba Wax

GHS product identifier	: MCC_101 Original Carnauba Wax
Other means of identification	: MCC_101
Product type	: Liquid.
Identified uses	
Rubber/vinyl/tire dressing.	
Supplier's details	: Masterson's Car Care 4308 E. La Palma Ave Anaheim, CA 92807 Tel: 562-335-2053 Toll Free: 800-495-5199 Email:sales@mastersonswax.com Website: www.mastersonswax.com
Emergency telephone	: Masterson's Car Care: 1-800-495-5199 (24/7)
•	
operation)	ds identification
operation) Section 2. Hazar	ds identification : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
operation) Section 2. Hazaro OSHA/HCS status Classification of the	: This material is considered hazardous by the OSHA Hazard Communication Standard
Deperation) Section 2. Hazar DSHA/HCS status Classification of the substance or mixture	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Deperation) Section 2. Hazar DSHA/HCS status Classification of the substance or mixture	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Deperation) Section 2. Hazard DSHA/HCS status Classification of the Substance or mixture GHS label elements	 This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). AQUATIC HAZARD (ACUTE) - Category 3
Deperation) Section 2. Hazar DSHA/HCS status Classification of the substance or mixture <u>SHS label elements</u> Signal word	 This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). AQUATIC HAZARD (ACUTE) - Category 3 No signal word. Harmful to aquatic life.
Deperation) Section 2. Hazard DSHA/HCS status Classification of the substance or mixture <u>SHS label elements</u> Signal word Hazard statements	 This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). AQUATIC HAZARD (ACUTE) - Category 3 No signal word. Harmful to aquatic life.
Deperation) Section 2. Hazar OSHA/HCS status Classification of the substance or mixture GHS label elements Signal word Hazard statements Precautionary statements	 : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). : AQUATIC HAZARD (ACUTE) - Category 3 : No signal word. : Harmful to aquatic life.
Deperation) Section 2. Hazard DSHA/HCS status Classification of the substance or mixture GHS label elements Signal word Hazard statements Precautionary statements Prevention	 This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). AQUATIC HAZARD (ACUTE) - Category 3 No signal word. Harmful to aquatic life. Avoid release to the environment.
Hazard statements <u>Precautionary statements</u> Prevention Response	 This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). AQUATIC HAZARD (ACUTE) - Category 3 No signal word. Harmful to aquatic life. Avoid release to the environment. Not applicable.

Section 3. Composition/information on ingredients

Substance/mixture	
Other means of	
identification	

: Mixture

: Not available.

CAS number/other identifiers

CAS number	:Not applicable. :
Product code	MCC_101.

Ingredient name	%	CAS number
Siloxanes and Silicones, di-Me	30 - 60	63148-62-9
Poly(oxy-1,2-ethanediyl), α-(2-propylheptyl)-ω-hydroxy-	1 - 5	160875-66-1
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	0.1 - 1	6440-58-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Most important sympt	oms/effects, acute and delayed
Potential acute health	<u>n effects</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs	/symptoms
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Section 4. First aid measures

Indication of immediate med	al attent	ion and special treatment needed, if necessary
Notes to physician		e of inhalation of decomposition products in a fire, symptoms may be delayed. person may need to be kept under medical surveillance for 48 hours.
Specific treatments	No spe	ecific treatment.
Protection of first-aiders	No spe	ecial protection is required.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: This material is harmful to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective actions for fire-fighters	: No special measures are required.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protect	iv	e equipment and emergency procedures
For non-emergency personnel	:	Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods and materials for containment and cleaning up

Section 6. Accidental release measures

Spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	ct with eyes, skin and clothing. A vironment. Keep in the original of	equipment (see Section 8). Do not ingest. Avoid avoid breathing vapor or mist. Avoid release to container or an approved alternative made from a d when not in use. Empty containers retain s. Do not reuse container.
Advice on general occupational hygiene	ed, stored and processed. Work	e prohibited in areas where this material is ers should wash hands and face before eating, on 8 for additional information on hygiene
Conditions for safe storage, including any incompatibilities	sunlight in a dry, cool and well-ve Section 10) and food and drink. If for use. Containers that have be	ons. Store in original container protected from entilated area, away from incompatible materials Keep container tightly closed and sealed until een opened must be carefully resealed and kept re in unlabeled containers. Use appropriate ontamination.

Section 8. Exposure controls/personal protection

Control parameters		
Occupational exposure limi	<u>ts</u>	
None.		
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection measur	<u>'es</u>	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		

Section 8. Exposure controls/personal protection

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid. [Thick Bodied.]
Color	: Yellow.
Odor	: Banana
Odor threshold	: Not available.
рН	: 7-8.5
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: Not available.
Solubility	: Not available.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Thick.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.

Section 10. Stability and reactivity

Conditions to avoid : No specific data.

Incompatible materials : Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Siloxanes and Silicones, di-Me 1,3-bis(hydroxymethyl)-5, 5-dimethylimidazolidine-2,4-dione	LD50 Oral LD50 Oral		>2000 mg/kg 2 g/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Siloxanes and Silicones, di-Me	Eyes - Mild irritant Skin - Mild irritant Eyes - Mild irritant	Rabbit Rabbit Rabbit		1 hours 100 mg 24 hours 500 μL 24 hours 100 μL	
1,3-bis(hydroxymethyl)-5, 5-dimethylimidazolidine-2,4-dione	Skin - Moderate irritant	Rabbit	-	24 hours 2 mg	-

Sensitization

There is no data available.

Carcinogenicity

There is no data available.

Specific target organ toxicity (single exposure)

There is no data available.

Specific target organ toxicity (repeated exposure)

There is no data available.

Aspiration hazard

There is no data available.

Information on the likely	: Dermal contact. Eye contact. Inhalation. Ingestion.
routes of exposure	
Botontial acute boalth offects	

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to t	he physical, chemical and toxicological characteristics
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Section 11. Toxicological information

Delayed and immediate effects and also chronic effects from short and long term exposure				
Short term exposure				
Potential immediate effects	:	No known significant effects or critical hazards.		
Potential delayed effects	1	No known significant effects or critical hazards.		
Long term exposure				
Potential immediate effects	:	No known significant effects or critical hazards.		
Potential delayed effects	1	No known significant effects or critical hazards.		
Potential chronic health effe	ct	<u>s</u>		
General	1	No known significant effects or critical hazards.		
Carcinogenicity	1	No known significant effects or critical hazards.		
Mutagenicity	1	No known significant effects or critical hazards.		
Teratogenicity	1	No known significant effects or critical hazards.		
Developmental effects	1	No known significant effects or critical hazards.		
Fertility effects	1	No known significant effects or critical hazards.		

Numerical measures of toxicity

Acute toxicity estimates			
	Route	ATE value	
	Oral	12195.1 mg/kg	

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
		- I	48 hours 96 hours
1,3-bis(hydroxymethyl)-5, 5-dimethylimidazolidine-2,4-dione	Acute LC50 173 to 212 ppm Fresh water	Fish - Lepomis macrochirus	96 hours

Persistence and degradability

There is no data available.

Bioaccumulative potential

There is no data available.

Mobility in soil

Soil/water partition : There is no data available. coefficient (Koc)

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Additional information	-	-	-

AERG : Not applicable.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

Section 15. Regulatory information

U.S. Federal regulations	: TSCA 4(a) final test rules: Acetaldehyde
	TSCA 8(a) PAIR: Siloxanes and Silicones, di-Me; Acetaldehyde
	TSCA 8(a) CDR Exempt/Partial exemption: Not determined
	United States inventory (TSCA 8b): Not determined.
	Clean Water Act (CWA) 311: Acetaldehyde

Section 15. Regulatory information

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
SARA 302/304	

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Immediate (acute) health hazard

Composition/information on ingredients

Name	%	hazard	Sudden release of pressure	Reactive		Delayed (chronic) health hazard
Poly(oxy-1,2-ethanediyl), α-(2-propylheptyl)-ω- hydroxy- 1,3-bis(hydroxymethyl)-5,	1 - 5 0.1 - 1	No. No.	No. No.	No. No.	Yes. Yes.	No. No.
5-dimethylimidazolidine-2,4-dione	0.1 1	110.	110.	110.	100.	110.

State regulations

- Massachusetts
- : The following components are listed: Glycerol
- **New York**
- : None of the components are listed.
- **New Jersey**
- Pennsylvania
- : The following components are listed: Glycerol
- : The following components are listed: Glycerol

California Prop. 65

WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	Reproductive	level	Maximum acceptable dosage level
Acetaldehyde	Yes.	No.	90 µg/day (inhalation)	No.

Section 16. Other information

History

Date of issue mm/dd/www : 04/15/2021

1.1	04/13/2021
:	1
:	Not applicable.
1	KMK Regulatory Services Inc.
	:

Section 16. Other information

Key to abbreviations	: ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,
	1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	UN = United Nations
Notice to reader	

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be

used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.